DIGITUS USB 2.0 to IDE/SATA Adapter Cable

DA-70148-3 4016032311287

DIGITUS
Enjoy connections. Live.
5 Years Warranty
Supports 2.5/3.5 IDE and SATA HDDs
USB 2.0 adapter cable for fast and easy HDD connections - no external enclosure needed. Use any 2.5 / 3.5 IDE hard drive or SATA hard disk as an additional external hard drive. Ideal for service, maintenance, hassle-free temporary HDD access, e.g. for data backups and restore purposes
Disposes a USB Y-cable for better and stable power supply
Ideal for Service or Backup, never having to open a computer case or mount hard drives in an enclosure
Easy Connection - Fast Transferring - Back Up Files for any HDD/SSD
TO IDE/SATA
TER CABLE

USB2.0 to IDE and SATA Adapter Cable
USB A to 40pol IDE and SATA PSU included



Easy Connection - Fast Transferring - Back Up Files for any HDD/SSD

USB 2.0 adapter cable for fast and easy HDD connections - no external enclosure needed. Use any 2.5 / 3.5 IDE hard drive or SATA hard disk as an additional external hard drive. Ideal for service, maintenance, hassle-free temporary HDD access, e.g. for data backups and restore purposes.

- Supports 2.5/3.5 IDE and SATA HDDs (and 1.8 HDDs only with suitable adapter, not included)
- Supports SATA, SATA II
- Compliance with USB 2.0 (High-Speed)
- Capacity: up to 3 TB
- Compliance with USB Mass Storage Class
- Disposes a USB Y-cable for better and stable power supply.
- Supports 480Mbps High Speed (HS) and 12Mbps Full Speed USB operation
- Supports ATA/ATAPI Ultra DMA Mode
- Supports ATA/ATAPI PACKET command feature set
- Supports ATA/ATAPI LBA48-bit addressing mode
- High-speed data transfer, low power consumption
- Blue LEDs indicating operation
- Incl. power supply
- Supports Windows 8, 7, Vista, XP and Mac OS 10.x

Package Content

- USB 2.0 IDE & SATA Cable
- User Manual
- Power supply (12V 1.5A)
- Power cable for IDE HDDs
- IDE (4-pin Molex) plug <=> SATA 15-pin jack
- IDE (3-pin Molex) plug <=> SATA 15-pin jack

DIGITUS USB 2.0 to IDE/SATA Adapter Cable

DA-70148-3 4016032311287

→ Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm³
Packaging Unit Carton	20	4,19	35,00	28,00	28,00	27440,00
Packaging Unit Inside	5	1,05	26,00	16,50	13,00	5577,00
Packaging Unit Single	1	0,21	5,00	16,50	13,00	1072,50
Net single without Packaging	1	0,00	6,10	3,80	1,50	34,77

→ Operating systems

→ Packaging type

Country of origin: China